

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### BEST-CA 432

Print date: 28.04.2013

Product code:

Page 1 of 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

BEST-CA 432

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives, sealants

#### Uses advised against

none/none

### 1.3. Details of the supplier of the safety data sheet

Company name:	Best Klebstoffe GmbH & Co. KG		
Street:	Gewerbestraße 10-14		
Place:	D-86981 Kinsau		
Telephone:	+49 (0)08869 91384-0	Telefax:	+49 (0)08869 91384-15
e-mail:	info@bestklebstoffe.de		
Internet:	www.bestklebstoffe.de		
Responsible Department:	Dr. Timo Gans-Eichler Chemieberatung Raesfeldstr. 22 48149 Münster	e-mail:	tge-consult@t-online.de
		Tel.:	+49 (0)251/924520-60
			www.tge-consult.de

### 1.4. Emergency telephone number:

+49 (0)08869 91384-0 (08:00 - 17:00)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

This mixture is not classified as dangerous according to Directive 1999/45/EC.

#### GHS classification

This mixture is not classified as dangerous according to Regulation (EC) No. 1272/2008.

### 2.2. Label elements

#### Special labelling of certain mixtures

EUH202      Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Further Information

Product does not contain listed SVHC substances.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms especially in the breathing area, seek medical advice immediately.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### BEST-CA 432

Print date: 28.04.2013

Product code:

Page 2 of 7

#### After contact with skin

After contact with skin, wash immediately with: Water and soap. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.  
By no means solve any eyelid adhesions by force. Calm down patient: experience shows that such damages have always been repairable.

#### After ingestion

Do not induce vomiting. Rinse mouth thoroughly with water. Let water be swallowed in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. Call a POISON CENTER or doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

The product itself is not combustible. Extinguishing materials should be selected according to the surrounding area.

##### Extinguishing media which must not be used for safety reasons

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>)  
Gas/vapours, harmful.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical resistant suit.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. (Refer to chapter 8.)

#### 6.2. Environmental precautions

Dumping into the environment must be prevented.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).  
Treat the assimilated material according to the section on waste disposal.  
Clear contaminated area thoroughly.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Wear personal protection equipment. (Refer to chapter 8.)

##### Advice on protection against fire and explosion

No special fire protection measures are necessary. Keep away from sources of ignition - No smoking.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### BEST-CA 432

Print date: 28.04.2013

Product code:

Page 3 of 7

#### Further information on handling

Avoid contact with skin, eye and clothing.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep container dry. Keep/Store only in original container.

##### Advice on storage compatibility

Do not store together with: Oxidizing solids. Oxidizing liquids. Explosives. Food and fodder

##### Further information on storage conditions

Protect against: UV-radiation/sunlight. moisture.  
Recommended storage temperature: 2 - 8°C

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Additional advice on limit values

Does not contain substances above concentration limits fixing an occupational exposure limit.

#### 8.2. Exposure controls

##### Occupational exposure controls

In case of open handling, use devices with built-in suction where possible. If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working place must be ensured.

##### Protective and hygiene measures

Always close containers tightly after the removal of product. Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and at the end of work.

##### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.  
Respiratory protection required in case of:

Generation/formation of aerosols  
Suitable respiratory protective equipment:  
Combination filter device (DIN EN 141).. Type: B-P2/P3

##### Hand protection

Pull-over gloves of rubber. DIN EN 374  
Suitable material: NBR (Nitrile rubber).  
(penetration time (maximum wearing period):  $\geq$  480 min.)  
Before using check leak tightness / impermeability. In case of reutilization, clean gloves before taking off and store in well-aired place.

##### Eye protection

Wear safety glasses; chemical goggles (if splashing is possible).

##### Skin protection

Lab apron.

##### Environmental exposure controls

No special measures are necessary.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state: liquid  
Colour: colourless

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### BEST-CA 432

Print date: 28.04.2013

Product code:

Page 4 of 7

Odour: characteristic

#### Test method

pH-Value: not determined

#### Changes in the physical state

Melting point: not determined

Boiling point: 96-100 °C

Flash point: 85 °C

#### Explosive properties

not explosive.

Lower explosion limits: not determined

Upper explosion limits: not determined

#### Auto-ignition temperature

Solid: N/A

Gas: N/A

#### Oxidizing properties

none/none

Vapour pressure:  
(at 20 °C) 0,03 hPa

Vapour pressure: not determined

Density (at 20 °C): 1,06 g/cm<sup>3</sup>

Water solubility: Reacts with : Water.

Viscosity / dynamic: 1500 mPa·s

### 9.2. Other information

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal storage and handling conditions.

### 10.2. Chemical stability

Stable under normal storage and handling conditions.

### 10.3. Possibility of hazardous reactions

Exothermic polymerization.

### 10.4. Conditions to avoid

Keep away from heat. Protect from moisture.

### 10.5. Incompatible materials

Acid. Alkalis (alkalis). Oxidizing agents, strong. Alcohol. amines.

### 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Toxicokinetics, metabolism and distribution

No data available

#### Acute toxicity

No information available.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### BEST-CA 432

Print date: 28.04.2013

Product code:

Page 5 of 7

#### Specific effects in experiment on an animal

No information available.

#### Irritation and corrosivity

No information available.

#### Sensitising effects

No information available.

#### Severe effects after repeated or prolonged exposure

No information available.

#### Carcinogenic/mutagenic/toxic effects for reproduction

No information available.

### SECTION 12: Ecological information

#### 12.1. Toxicity

No information available.

#### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No indication of bio-accumulation potential.

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

No information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Advice on disposal

Waste disposal according to official state regulations. Consult the local waste disposal expert about waste disposal. Moreover, national legislation has to be observed!

##### Waste disposal number of waste from residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

##### Waste disposal number of used product

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

##### Waste disposal number of contaminated packaging

150203 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02

##### Contaminated packaging

Cleaned containers may be recycled.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### BEST-CA 432

Print date: 28.04.2013

Product code:

Page 6 of 7

**14.1. UN number:** Not restricted

**Other applicable information (land transport)**

Not restricted

**Inland waterways transport (ADN)**

**14.1. UN number:** Not restricted

**Marine transport (IMDG)**

**14.1. UN number:** Not restricted

**Air transport (ICAO)**

**14.1. UN number:** Not restricted

**14.5. Environmental hazards**

Dangerous for the environment: no

**14.6. Special precautions for user**

No information available.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

No information available.

### SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

1999/13/EC (VOC): No information available.

**Additional information**

1967/548 (2008/58, 30. ATP/ 31. ATP); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EWG (2008/47/EG)

**National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

**Changes**

28.04.2013 Rev 1.00

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### BEST-CA 432

Print date: 28.04.2013

Product code:

Page 7 of 7

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*